QV-1

LED Fog Jet

Compact fog jets with RGB colour effects.



Product rendering

1,550 W

RATED POWER

6–7 m

APPROX. JET DISTANCE

2.5 L

FLUID TANK

RGB fog effects & control

Precision-cast heater

High-energy heating in a compact design.
Approx. 28,000 ft³/min fog output.

26 × 3 W RGB LEDs

High-brightness LEDs add rich colour
to the fog column.

Fast cut-off & fluid protection

Rapid fog stop with dry-running protection.

Mounting & remote control

Bracket supports varied installation angles.
DMX512 and wireless remote operation.



Fog effect illustration

Power, output & control

Electrical & performance

PARAMETER	SPECIFICATION
Input voltage	**AC 220–240 V, 50/60 Hz**
Fuse	**10 A / 250 V**
Rated power	**1,550 W**
Warm-up time	**4 min**
Fog output	**Approx. 28,000 ft³/min**

LED & control

PARAMETER	SPECIFICATION
LED power	**26 × 3 W**
LED colour	**RGB**
DMX512	**Supported**
DMX channels	**8**
Wireless remote	**Supported**

Jet distance: specifications state approx. 6–7 m. Catalog overview states approx. 6–8 m.
Results may vary with operating conditions.

Consumables & transport

Fluid & output

PARAMETER	SPECIFICATION
Fluid tank	**2.5 L**
Fluid type	**FV-1 fast-dissipating jet fluid**
Fluid consumption	**160 mL/min**
Jet distance	**Approx. 6–7 m**

Dimensions & weight

PARAMETER	SPECIFICATION
Unit dimensions	**350 × 300 × 210 mm**
Carton dimensions	**420 × 365 × 282 mm**
Net weight	**8.5 kg**
Gross weight	**9.5 kg**

Protection & installation

FEATURE	SPECIFICATION
Fluid protection	**Dry-running protection**
Mounting	**Bracket for varied angles**
Fog control	**Rapid cut-off**